

Contents

Araki, H.: On Uniqueness of KMS States of One-dimensional Quantum Lattice Systems	1
Białynicki-Birula, I., Mycielski, J.: Uncertainty Relations for Information Entropy in Wave Mechanics	129
Cantoni, V.: Generalized "Transition Probability"	125
Cassandro, M., Da Fano, A., Olivieri, E.: Existence of Phase Transition for a Lattice Model with a Repulsive Hard Core and an Attractive Short Range Interaction	45
Critchley, R. H., Lewis, J. T.: On the Free Boson Gas with Spin	107
Da Fano, A., s. Cassandro, M., <i>et al.</i>	45
Driessler, W.: Comments on Lightlike Translations and Applications in Relativistic Quantum Field Theory	133
Dunlop, F., Newmann, Ch. M.: Multicomponent Field Theories and Classical Rotators	223
Figari, R., Höegh-Krohn, R., Nappi, C. R.: Interacting Relativistic Boson Fields in the De Sitter Universe with Two Space-Time Dimensions	265
Gal-Ezer, E.: Spontaneous Breakdown in Two Dimensional Space-Time	191
Gibbons, G. W.: Vacuum Polarization and the Spontaneous Loss of Charge by Black Holes	245
Glimm, J., Jaffe, A.: Two and Three Body Equations in Quantum Field Models	293
Gopalakrishna, A. V.: The Jump in Vorticity across a Shock Wave in Relativistic Hydrodynamics	39
Held, A.: A Formalism for the Investigation of Algebraically Special Metrics. II.	211
Höegh-Krohn, R., s. Figari, R., <i>et al.</i>	265
Jaffe, A., s. Glimm, J.	293
Lewis, J. T., s. Critchley, R. H.	107
Lewis, J. T., Sisson, P. N. M.: A C^* -Algebra of the Two-dimensional Ising Model	279
Lowenstein, J. H., Zimmermann, W.: The Power Counting Theorem for Feynman Integrals with Massless Propagators	73
McBryan, O. A.: Finite Mass Renormalizations in the Euclidean Yukawa ₂ Field Theory	237
Miyamoto, M.: A Remark to Harris's Theorem on Percolation	169
Mycielski, J., s. Białynicki-Birula, I.	129
Nappi, C. R., s. Figari, R., <i>et al.</i>	265
Naudts, J., Verbeure, A., Weder, R.: Linear Response Theory and the KMS Condition	87
Newman, Ch. M., s. Dunlop, F.	223
Olesen, D.: Inner*-Automorphisms of Simple C^* -Algebras	175
Olivieri, E., s. Cassandro, M., <i>et al.</i>	45
Perelomov, A. M.: Coherent States and Symmetric Spaces	197

Radin, C.: Particle Lattice Models and the Dynamical Instability of Many-Body Systems	165
Simson, P.N.M., s. Lewis, J.T.	279
Spencer, T.: The Decay of the Bethe-Salpeter Kernel in $P(\varphi)_2$ Quantum Field Models.	143
Verbeure, A., s. Naudts, J., <i>et al.</i>	87
Verbeure, A., Weder, R.A.: Stability in Linear Response and Clustering Properties	101
Weder, R., s. Naudts, J., <i>et al.</i>	87
Weder, R.A., s. Verbeure, A.	101
Wolfe, J.C.: Invariant States and Conditional Expectations of the Anticommutation Relations	53
Woodhouse, N.M.J.: Killing Tensors and the Separation of the Hamilton-Jacobi Equation	9
Zimmermann, W., s. Lowenstein, J.H.	73

Indexed in Current Contents

INSTRUCTIONS TO AUTHORS

A. General

Manuscripts should be submitted in duplicate. They should preferably be written in English; papers in French or German are also accepted.

Manuscripts must be in their **final form**, typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestion overleaf.

To speed up publication, authors will receive **only one set of proofs**: provisionally numbered page proofs. Authors are requested to **correct typographical errors only**; they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times \frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles**: names and initials of all authors, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Bombieri, E., Giusti, E.: *Inventiones math.* **15**, 24–46 (1971)

Tate, J.T.: *p*-Divisible groups. In: *Proceedings of a conference on local fields*, pp. 158–183. Berlin-Heidelberg-New York: Springer 1967

B. Marking

1. Text

The words "Theorem", "Lemma", "Corollary", "Proposition" etc. are normally printed in **boldface**, followed by the formulation in *italics* (to be underlined in the manuscript).

The words "Proof", "Remark", "Definition", "Note" etc. are printed in *italics* with the formulation in ordinary typeface.

Words or sentences to be set in *italics* should be marked by single underlining.

2. Formulae

Letters in formulae are normally printed in *italics*, figures in ordinary typeface.

It will help the printer if in doubtful cases the position of indices and exponents is marked thus: b_j, a_{ij} . Spacing of indices and exponents must be specially indicated (A_{mn}^{ab}) otherwise they will be set (A_{mn}^{ab}).

Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface headings, boldface letters in formulae
yellow:	upright
	(abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numeral 1, and zero (to distinguish them from the small letter <i>l</i> and the capital letter <i>O</i>)

The following are frequently confused:

$\cup, U, \bigcup, U; \circ, o, O, 0; x, X, \kappa; v, v, v; \theta, \Theta, \phi, \phi, \Phi, \emptyset; \psi, \Psi; \varepsilon, \epsilon;$

a', a^1 ; the symbol *a* and the indefinite article *a*;

also the handwritten Roman letters:

$c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;$

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	<i>A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z</i> <i>a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z</i>
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Boldface	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Special Roman	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, 1
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \epsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, \omicron, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \chi, \psi, \omega$

2. Notations

preferred form	instead of	preferred form	instead of
$A^*, b^{\sim}, \gamma', v, v$	$\bar{A}, \bar{b}, \bar{\gamma}, \bar{v}$	$f: A \rightarrow B$	$A \xrightarrow{f} B$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$		
inj lim, proj lim	\varinjlim, \varprojlim		
$\exp(-(x^2 + y^2)/a^2)$	$e^{-\frac{x^2 + y^2}{a^2}}$	$\frac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\frac{\cos \frac{1}{x}}{\sqrt{a + \frac{b}{x}}}$
f^{-1}	f^{-1}		

